

Tasmanian Oak & Radiata Pine Fine Mouldings





Achieve the perfect classic or contemporary look for your next project with Abelwood Tasmanian Oak and Radiata Pine Fine Mouldings.



Crafted from only the highest quality, select grade, kiln dried Tasmanian Oak hardwood timber and sustainably sourced Radiata Pine, Abelwood Fine Mouldings are available in a range of popular profiles and sizes. Abelwood Fine Mouldings offer the highest of finishes making them ready for a range of decorative options to suit your home.

A practical solution

Abelwood's selection of Fine Mouldings are perfect for functional uses such as joinery, window finishings and edging, offering versatility and practicality. Choose from a range of functional profiles that allow you to apply the perfect finish to your project, including Beading, Corner Finishing and Cover Strapping. Choose Tasmanian Oak mouldings to highlight the natural features of the timber, or Radiata Pine mouldings when a painted finish is desired.

Unleash the designer within

Abelwood Fine Mouldings can be used in a wide range of projects, providing unlimited creative options. Use Coverstrap or DAR mouldings to design decorative wall features, or Dowel mouldings to create peg shelving and unique bench ends. With Abelwood Fine Mouldings, there is no limit to your creativity.





visit us
online
for more
information





Abelwood Tasmanian Oak and Radiata Pine Fine Mouldings are available in a select range of popular profiles and sizes



DOWEL & DOWEL SHORTS
PAGE 6



QUAD
PAGE 10



TRI-QUAD
PAGE 11



DAR RECTANGLE
PAGE 12



DAR SQUARE
PAGE 13



ASTRAGAL T ROUNDED
PAGE 14



EXTERNAL CORNER
PAGE 14



SCOTIA
PAGE 15



OVOLO
PAGE 15



EDGING
PAGE 16



COVERSTRAP
PAGE 17



HANDRAIL NO.1
PAGE 9



FLY BEAD
PAGE 19



CONT MOULD/ BEV GLAZ BEAD
PAGE 19



GLAZING BEAD NO.1
PAGE 18



PARTING BEAD
PAGE 18



SASH BEAD
PAGE 18



WINDMOULD
PAGE 11

Sustainably crafting beautiful Regrowth Tasmanian Oak products since 1924.

Neville Smith Forest Products (NSFP) has been part of Tasmanian forestry since 1924, and today is one of the most advanced processors of sustainably grown Regrowth and Plantation Tasmanian Oak products in Australia.

With a long and proud history working in Tasmania's forests industry we understand the importance of sustainably managing this beautiful and unique resource.

Abelwood Tasmanian Oak Fine Mouldings are sourced from sustainably harvested, regrowth PEFC Certified Tasmanian Oak and all NSFP sites have 100% Chain of Custody certification.

When you choose Abelwood Tasmanian Oak, you can be assured of a beautiful and natural product that has been sourced using the highest environmental standards.



ORIGINAL

TASMANIAN
TIMBER™

TASMANIAN



PEFC™
PEFC/C21-92-01/033



Responsible
Wood
RW 5-32-01-33



Dowel

Dowel offers endless versatility and design options across a variety of decorative projects including balustrade infill components.

TO = Tasmanian Oak

PN = Radiata Pine































Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODOW0818	8mm dia Length 1.8m	 8mm 8mm		<input checked="" type="checkbox"/>	
TO: TODOW0824	8mm dia Length 2.4m	 8mm 8mm		<input checked="" type="checkbox"/>	
TO: TODOW9518	9.5mm dia Length 1.8m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW9524	9.5mm dia Length 2.4m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW9530	9.5mm dia Length 3m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW12518	12.5mm dia Length 1.8m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	
TO: TODOW12524 PN: PNDOW12524	12.5mm dia Length 2.4m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW12530	12.5mm dia Length 3m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	
TO: TODOW1618	16mm dia Length 1.8m	 16mm 16mm		<input checked="" type="checkbox"/>	
TO: TODOW1624	16mm dia Length 2.4m	 16mm 16mm		<input checked="" type="checkbox"/>	
TO: TODOW1630	16mm dia Length 3m	 16mm 16mm		<input checked="" type="checkbox"/>	

Dowel Shorts



Your favourite profile now available in shorter lengths

Page 8

























Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODOW1918	19mm dia Length 1.8m	 19mm		<input checked="" type="checkbox"/>	
TO: TODOW1924 PN: PNDOW1924	19mm dia Length 2.4m	 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW1930 PN: PNDOW1930	19mm dia Length 3m	 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW2524	25mm dia Length 2.4m	 25mm		<input checked="" type="checkbox"/>	
TO: TODOW2530	25mm dia Length 3m	 25mm		<input checked="" type="checkbox"/>	
TO: TODOW2918	29mm dia Length 1.8m	 29mm		<input checked="" type="checkbox"/>	
TO: TODOW2924	29mm dia Length 2.4m	 29mm		<input checked="" type="checkbox"/>	
TO: TODOW2930	29mm dia Length 3m	 29mm		<input checked="" type="checkbox"/>	
PN: PNDOW3524	35mm dia Length 2.4m	 35mm			<input checked="" type="checkbox"/>
PN: PNDOW3530	35mm dia Length 3m	 35mm			<input checked="" type="checkbox"/>
TO: TODOW4324	43mm dia Length 2.4m	 43mm		<input checked="" type="checkbox"/>	
TO: TODOW4330	43mm dia Length 3m	 43mm		<input checked="" type="checkbox"/>	
TO: TODOW4336	43mm dia Length 3.6m	 43mm		<input checked="" type="checkbox"/>	
TO: TODOW4342	43mm dia Length 4.2m	 43mm		<input checked="" type="checkbox"/>	
TO: TODOW4348	43mm dia Length 4.8m	 43mm		<input checked="" type="checkbox"/>	

Dowel Shorts

Use Dowel Shorts for craft purposes to create shelving hooks, storage options, decorative finishes and more.

TO = Tasmanian Oak

PN = Radiata Pine







Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODOW0809	8mm dia Length 0.9m	 8mm 8mm		<input checked="" type="checkbox"/>	
TO: TODOW0812	8mm dia Length 1.2m	 8mm 8mm		<input checked="" type="checkbox"/>	
TO: TODOW9509	9.5mm dia Length 0.9m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW9512	9.5mm dia Length 1.2m	 9.5mm 9.5mm		<input checked="" type="checkbox"/>	
TO: TODOW12509 PN: PNDOW12509	12.5mm dia Length 0.9m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW12512	12.5mm dia Length 1.2m	 12.5mm 12.5mm		<input checked="" type="checkbox"/>	
TO: TODOW1609	16mm dia Length 0.9m	 16mm 16mm		<input checked="" type="checkbox"/>	
TO: TODOW1612	16mm dia Length 1.2m	 16mm 16mm		<input checked="" type="checkbox"/>	
TO: TODOW1909 PN: PNDOW1909	19mm dia Length 0.9m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW1912 PN: PNDOW1912	19mm dia Length 1.2m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODOW2509	25mm dia Length 0.9m	 25mm 25mm		<input checked="" type="checkbox"/>	
TO: TODOW2512	25mm dia Length 1.2m	 25mm 25mm		<input checked="" type="checkbox"/>	

Handrail No.1

This Handrail is a modern, contemporary profile that gives a stylish look to any staircase project.

TO = Tasmanian Oak

PN = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOHDRL01654224	65 x 42mm Length 2.4m			<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOHDRL01654230	65 x 42mm Length 3m			<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOHDRL01654236	65 x 42mm Length 3.6m			<input checked="" type="checkbox"/>	<input type="checkbox"/>

















Quad

A popular profile commonly used across internal cornering, providing a continuous rounded edge and a professional finish.

TO = Tasmanian Oak

PN = Radiata Pine









Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOQD121224 PN: PNQD121224	12 x 12mm Length 2.4m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD121230 PN: PNQD121230	12 x 12mm Length 3m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD191924 PN: PNQD191924	19 x 19mm Length 2.4m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD191930 PN: PNQD191930	19 x 19mm Length 3m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD191936 PN: PNQD191936	19 x 19mm Length 3.6m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD252524 PN: PNQD252524	25 x 25mm Length 2.4m	 25mm 25mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOQD252530 PN: PNQD252530	25 x 25mm Length 3m	 25mm 25mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Tri-Quad

A popular profile commonly used in similar situations to traditional Quad and is particularly popular in finishing the edge of flooring projects.





TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOTQD121224 PN: PNTQD121224	12 x 12mm Length 2.4m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOTQD121230 PN: PNTQD121230	12 x 12mm Length 3m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOTQD191924 PN: PNTQD191924	19 x 19mm Length 2.4m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOTQD191930 PN: PNTQD191930	19 x 19mm Length 3m	 19mm 19mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Windmould

A Windmould is used as an external trim between the window frame and the brickwork when installing a window.

TO = Tasmanian Oak **PN** = Radiata Pine



























Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOWMLD301924	30 x 19mm Length 2.4m	 19mm 30mm		<input checked="" type="checkbox"/>	
TO: TOWMLD301930	30 x 19mm Length 3m	 19mm 30mm		<input checked="" type="checkbox"/>	

DAR Rectangle

DAR (Dressed All Round) Rectangle mouldings create a contemporary finish to corners and are used commonly in decorative applications such as batten-effect walls.

TO = Tasmanian Oak

PN = Radiata Pine









Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODAR201224 PN: PNDAR201224	20 x 12mm Length 2.4m	 12mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR201230	20 x 12mm Length 3m	 12mm 20mm		<input checked="" type="checkbox"/>	
TO: TODAR301224 PN: PNDAR301224	30 x 12mm Length 2.4m	 12mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR301230 PN: PNDAR301230	30 x 12mm Length 3m	 12mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR401224 PN: PNDAR401224	40 x 12mm Length 2.4m	 12mm 40mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR401230 PN: PNDAR401230	40 x 12mm Length 3m	 12mm 40mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR401236	40 x 12mm Length 3.6m	 12mm 40mm		<input checked="" type="checkbox"/>	
PN: PNDAR401824	40 x 18mm Length 2.4m	 18mm 40mm			<input checked="" type="checkbox"/>
PN: PNDAR401830	40 x 18mm Length 3m	 18mm 40mm			<input checked="" type="checkbox"/>
TO: TODAR651224 PN: PNDAR651224	65 x 12mm Length 2.4m	 12mm 65mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR651230 PN: PNDAR651230	65 x 12mm Length 3m	 12mm 65mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR901224	90 x 12mm Length 2.4m	 12mm 90mm		<input checked="" type="checkbox"/>	
TO: TODAR901230	90 x 12mm Length 3m	 12mm 90mm		<input checked="" type="checkbox"/>	

DAR Square

DAR (Dressed All Round) Square profiles are ideal for giving a contemporary finish to internal joinery corners.

TO = Tasmanian Oak

PN = Radiata Pine









Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TODAR121224 PN: PNDAR121224	12 x 12mm Length 2.4m	 12mm 12mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR121230	12 x 12mm Length 3m	 12mm 12mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TODAR181824 PN: PNDAR181824	18 x 18mm Length 2.4m	 18mm 18mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TODAR181830 PN: PNDAR181830	18 x 18mm Length 3m	 18mm 18mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



External Corner

The perfect profile to finish off external corners of wall lining projects.







TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOEXCR202024 PN: PNEXCR202024	20 x 20mm Length 2.4m	 20mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOEXCR202030 PN: PNEXCR202030	20 x 20mm Length 3m	 20mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOEXCR303024 PN: PNEXCR303024	30 x 30mm Length 2.4m	 30mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOEXCR303030 PN: PNEXCR303030	30 x 30mm Length 3m	 30mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Astragal T Rounded

This profile is commonly used as a finishing mould between two doors. It is installed along the edge of one of the doors and provides a neat covering strip as the doors close together.









TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOAST503021	50 x 30mm Length 2.1m	 30mm 50mm		<input checked="" type="checkbox"/>	
TO: TOAST503024	50 x 30mm Length 2.4m	 30mm 50mm		<input checked="" type="checkbox"/>	
TO: TOAST503030	50 x 30mm Length 3m	 30mm 50mm		<input checked="" type="checkbox"/>	

Scotia

Scotia is used in finishing internal corners and provides a traditional style to timber joinery projects.





TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOSCO191924	19 x 19mm Length 2.4m	 19mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOSCO191930	19 x 19mm Length 3m	 19mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOSCO303024 PN: PNSCO303024	30 x 30mm Length 2.4m	 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOSCO303030 PN: PNSCO303030	30 x 30mm Length 3m	 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Ovolo

Ovolo is the reverse profile to Scotia and can be used in similar applications. It is also particularly popular when finishing off a dado wall project.





















TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOOVL191924	19 x 19mm Length 2.4m	 19mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOOVL191930	19 x 19mm Length 3m	 19mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>

Edging

This profile offers the perfect finish to benchtop edging and cabinetry projects, its rounded edges give a professional finish to joinery applications.

















TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOEDG200524	20 x 5mm Length 2.4m	 5mm 20mm		<input checked="" type="checkbox"/>	
TO: TOEDG200530	20 x 5mm Length 3m	 5mm 20mm		<input checked="" type="checkbox"/>	
TO: TOEDG300524	30 x 5mm Length 2.4m	 5mm 30mm		<input checked="" type="checkbox"/>	
TO: TOEDG300530	30 x 5mm Length 3m	 5mm 30mm		<input checked="" type="checkbox"/>	
TO: TOEDG400524	40 x 5mm Length 2.4m	 5mm 40mm		<input checked="" type="checkbox"/>	
TO: TOEDG400530	40 x 5mm Length 3m	 5mm 40mm		<input checked="" type="checkbox"/>	
PN: PNEDG300824	30 x 8mm Length 2.4m	 8mm 30mm			<input checked="" type="checkbox"/>
PN: PNEDG300830	30 x 8mm Length 3m	 8mm 30mm			<input checked="" type="checkbox"/>
PN: PNEDG400824	40 x 8mm Length 2.4m	 8mm 40mm			<input checked="" type="checkbox"/>
PN: PNEDG400830	40 x 8mm Length 3m	 8mm 40mm			<input checked="" type="checkbox"/>

Coverstrap

Coverstrap is a versatile profile commonly used to join wall sheet products but can also be used in a range of creative timber joinery applications.

TO = Tasmanian Oak **PN** = Radiata Pine





Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
PN: PNCSP200524	20 x 5mm Length 2.4m	 5mm 20mm			<input checked="" type="checkbox"/>
PN: PNCSP350524	35 x 5mm Length 2.4m	 5mm 35mm			<input checked="" type="checkbox"/>
TO: TOCSP200824 PN: PNCSP200824	20 x 8mm Length 2.4m	 8mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP200830 PN: PNCSP200830	20 x 8mm Length 3m	 8mm 20mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP300824 PN: PNCSP300824	30 x 8mm Length 2.4m	 8mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP300830 PN: PNCSP300830	30 x 8mm Length 3m	 8mm 30mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP400824 PN: PNCSP400824	40 x 8mm Length 2.4m	 8mm 40mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
TO: TOCSP400830 PN: PNCSP400830	40 x 8mm Length 3m	 8mm 40mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Glazing Bead No.1

Glazing Bead No.1 is essential when installing glass into timber window frames and can also be used for any trimming or finishing use.



TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOGLB151024	15 x 10mm Length 2.4m	15mm [] 10mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOGLB151030	15 x 10mm Length 3m	15mm [] 10mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>

Parting Bead

Parting Bead is essential to creating and repairing sash windows as well as having general joinery uses.



TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOPRTBD200924	20 x 9mm Length 2.4m	 9mm 20mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>

Sash Bead

Sash Bead is designed for securing glazing panels into window frames and can also be used for any trimming or finishing use.



TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOSBD080824	8 x 8mm Length 2.4m	 8mm 8mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>

Fly Bead

Fly Bead is a round profile for installing screen mesh on timber doors and can also be used for other general trimming applications.











TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOFLBD180624	18 x 6mm Length 2.4m	 6mm 18mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>

Contemporary Mould/ Bevel Glazing Bead

Contemporary Mould is used as a trim when completing projects such as flooring installation and can also be used as a glazing bead for glass installations.

TO = Tasmanian Oak **PN** = Radiata Pine

Product code	Size	Profile	3D render	Species	
				TAS OAK	RADIATA PINE
TO: TOCONMD120924	12 x 9mm Length 2.4m	 9mm 12mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOCONMD120930	12 x 9mm Length 3m	 9mm 12mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOCONMD191224	19 x 12mm Length 2.4m	 12mm 19mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOCONMD191230	19 x 12mm Length 3m	 12mm 19mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>
TO: TOCONMD191236	19 x 12mm Length 3.6m	 12mm 19mm		<input checked="" type="checkbox"/>	<input type="checkbox"/>

Another
quality
timber
product
from



ABELWOOD
FINE MOULDINGS

CONTACT US

Email: sales@nsfpgroup.com.au

Phone: +61 3 6326 1181

abelwood.com.au

[@nevillesmithforestproducts](https://www.instagram.com/nevillesmithforestproducts)